

AD-A188 851

POLYMERIZATION OF FLUORINATED DIACETYLENES(U)
FLUOROCHEM INC AZUSA CA K BAUM ET AL. 18 NOV 87 TR-4
N00014-84-C-0388


1/1

UNCLASSIFIED

F/G 7/6

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A188 051

DTIC FILE COPY

OFFICE OF NAVAL RESEARCH

Contract N00014-84-C-0388

R&T Code 413c017---02
Replaces Old
Task #356-688

Technical Report No. 1

Polymerization of Fluorinated Diacetylenes

by

Kurt Baum, Paul G. Cheng, Ronald J. Hunadi and Clifford D. Bedford


Prepared for Publication

in the

Journal of Polymer Science

Fluorochem, Inc.
680 S. Ayon Ave.
Azusa, CA 91702

November 10, 1987



Reproduction in whole or in part is permitted for
any purpose of the United States Government

This document has been approved for public release
and sale; its distribution is unlimited.

7-11 17 099

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

ADA 188051

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT This document has been approved for public release and sale; its distribution is unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Technical Report No. 4			7a. NAME OF MONITORING ORGANIZATION		
6a. NAME OF PERFORMING ORGANIZATION Fluorochem, Inc.		6b. OFFICE SYMBOL (If applicable)		7b. ADDRESS (City, State, and ZIP Code)	
6c. ADDRESS (City, State, and ZIP Code) 680 S. Ayon Ave Azusa, CA 91702			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-84-C-0388		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research		8b. OFFICE SYMBOL (If applicable) Code 1113 PO		10. SOURCE OF FUNDING NUMBERS	
8c. ADDRESS (City, State, and ZIP Code) 800 North Quincy Street Arlington, VA 22217-5000			PROGRAM ELEMENT NO 413	PROJECT NO 0017	WORK UNIT 02
11. TITLE (Include Security Classification) Polymerization of Fluorinated Diacetylenes					
12. PERSONAL AUTHOR(S) Kurt Baum, Paul G. Cheng, Ronald J. Hunadi and Clifford D. Bedford					
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM TO		14. DATE OF REPORT (Year, Month, Day) 1987 Nov. 10	
15. PAGE COUNT 12					
16. SUPPLEMENTARY NOTATION To be published in the Journal of Polymer Science					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD 07	GROUP 06	SUB-GROUP	Polymers, Fluorocarbons, Acetylenes		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>Perfluoronkylene diacetylenes, $\text{HC}\equiv\text{C}-(\text{CF}_2)_n-\text{C}\equiv\text{CH}$, underwent thermal polymerization at 250-350 °C to give glassy polymers stable to 450 °C.</p> <p>Partial polymerization of the volatile monomers gave oligomers that are processable at atmospheric pressure. Polymers with similar thermal stability were obtained by transition-metal catalyzed polymerization of the monomers at moderate temperatures.</p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION		
22a. NAME OF RESPONSIBLE INDIVIDUAL			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL

DTIC
Session 10/10/87S. GRAH
C. TAB
announced
tificationDistribution/
Availability CodesAvail and/or
Special

A-1

Polymerization of Fluorinated Diacetylenes¹

Kurt Baum, Paul G. Cheng, Ronald J. Hunadi and Clifford D. Bedford

Fluorochem, Inc., Azusa, California 91702



Synopsis

Perfluoroalkylene diacetylenes, $\text{HC}\equiv\text{C}-(\text{CF}_2)_n-\text{C}\equiv\text{CH}$, underwent thermal polymerization at 250–350 °C to give glassy polymers stable to 450 °C. Partial polymerization of the volatile monomers gave oligomers that are processable at atmospheric pressure. Polymers with similar thermal stability were obtained by transition-metal-catalyzed polymerization of the monomers at moderate temperatures.

INTRODUCTION

There has been extensive interest in recent years on the application of acetylene-terminated monomers and oligomers for the preparation of thermally stable polymers. Systems that have been studied include polyphenylenes², imides³, phenylquinoxalines⁴, sulfones⁵ and triazines⁶. The acetylene groups undergo thermal polymerization to give linking groups with high thermal stability.

Fluorocarbons comprised another structure class that appeared to be potentially useful for this approach. Fluoropolymers possess useful stability, dielectric, and water repelency properties, but methods for the preparation of cross-linked, castable matrices are not generally available. With the objective of providing starting materials for this purpose, we developed synthesis procedures for perfluoroalkylene diacetylenes, $\text{HC}\equiv\text{C}(\text{CF}_2)_n\text{C}\equiv\text{CH}$.⁷ The preferred synthetic route for $\text{HC}\equiv\text{C}(\text{CF}_2)_4\text{C}\equiv\text{CH}$ and higher homologs is outlined below.



The preparation of $\text{HC}\equiv\text{C}(\text{CF}_2)_6\text{C}\equiv\text{CH}$ by this method was complicated by the formation of a cyclic product, and an alternate procedure consisting of addition of the fluorocarbon diiodide to trimethylsilylacetylene, dehydrohalogenation and desilylation was used.⁷

EXPERIMENTAL

Proton and fluorine NMR spectra were obtained with a Varian T-60 spectrometer. Mass spectra were obtained using a AEI MS-9 instrument. Molecular weights were obtained with a Mechrolab vapor phase osmometer. Elemental analysis was carried out by Galbraith Analytical Laboratory, Knoxville, Tenn. or Spang Microanalytical Laboratory, Eagle Harbor, Mich. Perfluoroalkylene diacetylenes were prepared by the procedures reported previously.⁷

1H-Perfluoro-1-dodecyne

A mixture of 100 g (0.155 mol) of perfluorodecyl iodide and 58 g (0.34 mol) of bis(trimethylsilyl)acetylene was sealed in a heavy-wall glass ampule and heated at 220 °C for 48 h. Distillation gave 60 g of crude 1-(trimethylsilyl)perfluoro-1-dodecyne as a red oil, bp 150-160 °C (2 mm). This material was stirred with 100 g of potassium fluoride dihydrate in 400 mL of methanol for 16 h. The mixture was diluted with 200 mL of saturated sodium chloride solution and was extracted with 500 mL of ether. The ether solution was dried over magnesium sulfate and distilled to give 25 g (30% based on perfluorodecyl iodide) of 1H-perfluoro-1-dodecyne, bp 35 °C (2 mm), mp 24-25 °C: ¹H NMR δ 2.95 (t, J_{HF} = 5 Hz); ¹⁹F NMR δ 86.2 (t, 3 F, J = 10 Hz, CF₃), 103 (m 2 F, CF₂C≡C), 123-

126 (m, 14 F, CF₂), 129 (m, 2 F, CF₂CF₃).

Anal. Calcd for C₁₂H₂F₂₂: C, 26.49; H, 0.19. Found: C, 26.26; H, 0.16.

Thermal Oligomerization of 1H-Perfluorododecyne

1H-Perfluoro-1-dodecyne (2.0 g, 3.7 mmol) was sealed in a glass tube and heated at 260 °C for 40 h. Sublimation of the material at 100 °C (0.1 mm) gave 1.1 g (55%) of a white powder, mp 90-92 °C: ¹H NMR δ 1.8 (m); ¹⁹F NMR δ 86.0 (t, 3 F, J = 10 Hz, CF₃), 112.5 (m, 2 F, CF₂-C), 123-126 (m, 14 F, CF₂), 129 (m, 2 F, CF₂CF₃); mass spectrum m/z: 1707 (tetramer M⁺ - (CF₂)₈CF₃); MW (VPO, ethyl acetate) calcd for C₄₈H₄F₈₄: 2476; found: 2490.

Anal. Calcd for C₄₈H₄F₈₄: C, 26.49; H, 0.19. Found: C, 26.43; H, 0.17.

Catalytic Oligomerization of 1H-Perfluoro-1-dodecyne

1H-Perfluoro-1-dodecyne (1.0 g, 1.8 mmol) was sealed with 5 mg of bis(benzonitrile)palladium (II) chloride in a glass tube and heated at 110 °C for 5 h. The resulting viscous oil was dissolved in 1,1,2-trichlorotrifluoroethane and filtered to remove the catalyst. Evaporation of the solvent gave 0.35 g (35%) of viscous oil: ¹H NMR δ 7.6 (m); ¹⁹F NMR δ 86.0 (t, 3 F, J = 10 Hz, CF₃), 114.0 (m, 2 F, CF₂-C), 124-126 (m, 14 F, CF₂), 129 (m, 2 F, CF₂CF₃); mass spectrum m/e 1613 (trimer M⁺ - F), 1463 (trimer M⁺ - (CF₂)₈CF₃); MW (VPO, 1,1,2-trichlorotrifluoroethane) calcd for C₃₆H₂F₆₂: 1632; found: 1483.

Anal. Calcd for C₃₆H₂F₆₂: C, 26.49; H, 0.19. Found: C, 26.42; H, 0.22.

Thermal Oligomerization of 1H,12H-Perfluoro-1,11-dodecadiyne

A sealed glass tube containing 0.41 g (0.9 mmol) of 1H,12H-perfluoro-1,11-dodecadiyne was heated at 250 °C for 41 h. Unreacted starting material was removed under vacuum to give 0.28 g (68%) of viscous oil: MW (VPO, ethyl acetate) calcd for tetramer $C_{48}H_8F_{64}$: 1800; found 1726. Heating the material at 260 °C for 40 h gave a yellow glassy polymer insoluble in common solvents.

Catalytic Polymerization of 1H,12H-Perfluoro-1,11-dodecadiyne

A mixture of 2.0 g (4.4 mmol) of 1H,12H-Perfluoro-1,11-dodecadiyne and 10 mg of bis(benzonitrile)palladium (II) chloride was heated in a sealed glass tube, with occasional shaking, at 120 °C for 1 h. A brown rubbery resin was obtained. An identically prepared sealed sample heated for an additional 12 h period at 150 °C gave a dark glassy polymer.

RESULTS AND DISCUSSION

Preliminary thermal polymerization studies of the fluorinated diacetylenes were carried out using $HC\equiv C(CF_2)_8C\equiv CH$, $HC\equiv C(CF_2)_6C\equiv CH$ and $HC\equiv C(CF_2)_{10}C\equiv CH$. Samples were heated in sealed tubes at 250 °C to give clear hard polymers, yellow to amber in color. DSC analysis⁸ of the samples showed symmetrical exotherms at 350 °C, with no evidence of decomposition to 450 °C. Repetition of the scans showed only endotherms at 106 to 120 °C, believed to represent glass transition temperatures. TGA showed initiation of weight loss at 450 °C. The 350 °C exotherm was ascribed to the completion of polymerization of uncured sites, confirmed by the observation of acetylenic absorption in the IR spectra (3318 and 2145 cm^{-1}) of the original polymer. The $HC\equiv C(CF_2)_8C\equiv CH$ polymer showed a critical surface tension of 21.6 dynes/cm, and water absorption determi-

nation over a 6-month period was negative. A swelling experiment with Freon 113 showed 12% absorption in 90 hrs.⁹

Because $\text{HC}\equiv\text{C}(\text{CF}_2)_6\text{C}\equiv\text{CH}$ is more readily available in quantity than its homologs, and this material was used in subsequent work. A problem in practical applications of this diacetylene is that its volatility at the temperatures required for thermal polymerization would require the use of pressurized containers for the fabrication of samples. One way to circumvent this problem is to carry out the polymerization in sealed containers to only a low degree of completion with the objective of preparing fluid or easily processable oligomers with sufficiently low volatility that final cure can be carried out at atmospheric pressure.

The polymerization of $\text{HC}\equiv\text{C}(\text{CF}_2)_6\text{C}\equiv\text{CH}$ was controlled adequately at 250 °C in sealed tubes, and after 41 h, 68% of the monomer was consumed. Removal of the unreacted monomer under vacuum left a viscous oil with a VPO molecular weight of four monomer units. The oligomer was then cured at atmospheric pressure by heating at 250 °C for several days to give a polymer with similar appearance and thermal properties to that obtained by polymerization of the monomer in sealed tubes.

Another approach to applying the volatile diacetylene for molding or coating applications is to use catalysts to lower the polymerization temperature. The cyclotrimerization and oligomerization of 3,3,3-trifluoropropyne with metal carbonyl catalysts has been reported,¹⁰ and a number of catalyst systems have been used for similar reactions of non-fluorinated aromatic and aliphatic acetylenes.¹¹ Consequently, we initiated qualitative screening studies to determine the effectiveness of some available catalysts for the polymerization of $\text{HC}\equiv\text{C}(\text{CF}_2)_6\text{C}\equiv\text{CH}$. The results are summarized in Table I.

Table I. Catalyst Screening

Conditions: 1 wt% catalyst heated with $\text{HC}\equiv\text{C}(\text{CF}_3)_2\text{C}\equiv\text{CH}$ 4 hrs at 140 °C
 ++ sample solidified; + sample became viscous; - no change
 Cp = cyclopentadienyl; acac = acetylacetonate

Catalyst	Result
CpTiBr_2	-
$\text{CpTiBr}_2/\text{NaBH}_4$	-
$\text{Cr}(\text{acac})_3$	-
$\text{CpMo}(\text{CO})_2\text{PPh}_3^+ \text{Cl}^-$	-
$\text{Mo}(\text{CO})_6$	++
$\text{C}_6\text{H}_6\text{W}(\text{CO})_3$	+
$\text{FeCp}(\text{CO})_2\text{I}$	-
$\text{Fe}(\text{acac})_3$	-
$\text{Co}(\text{acac})_3$	-
$\text{CpCo}(\text{CO})_2$	+
$\text{PdCl}_2(\text{PhCN})_2$	++
$\text{Ni}(\text{acac})_2$	++
$\text{Ni}(\text{CN})_2$	-
$\text{NiBr}_2 \cdot \text{PPh}_3$	+
$\text{NiBr}_2 \cdot \text{PPh}_3 \cdot \text{NaBH}_4$	+
$\text{Ni}(\text{CN})_2 \cdot \text{PPh}_3 \cdot \text{NaBH}_4$	+
$\text{NiBr}_2 \cdot \text{NaBH}_4$	-
$\text{NiI}_2 \cdot \text{PPh}_3$	+
$\text{Ni}(\text{Ph}_3\text{P})_2(\text{CO})_2$	+

Of the catalysts tested, $\text{PdCl}_2(\text{PhCN})_2$ was the most effective, and as little as 0.1 wt% was sufficient to promote polymerization. With a 1% catalyst level, solidification took place in 2 days at ambient temperature, in 2-3 hrs at 80 °C and in minutes at 130 °C. The catalysts, $\text{Ni}(\text{acac})_2$ and $\text{Mo}(\text{CO})_6$ were less effective than $\text{PdCl}_2(\text{PhCN})_2$, but they also produced polymers with appearance similar to that of the thermally produced polymer. On the other hand, $\text{Ni}(\text{Ph}_3\text{P})_2(\text{CO})_2$ and $\text{CpCo}(\text{CO})_2$ gave tarry products. Because of the effectiveness of $\text{PdCl}_2(\text{PhCN})_2$ for our system, further work was carried out with this catalyst, which has been reported to trimerize alkynes selectively to benzenes.¹²

Cured samples of the catalyzed polymer were similar to those produced thermally in that they had a glassy appearance and were brittle. DSC curves of the two types of polymer were essentially identical. To

obtain additional information about the polymerization reactions, model studies were carried out using $\text{CF}_3(\text{CF}_2)_9\text{C}\equiv\text{CH}$. Heating a sample of this monoacetylene with $\text{PdCl}_2(\text{PhCN})_2$ at 110 °C for 5 h gave a 95% yield of an oil, identified by molecular weight, elemental analysis, and mass spectroscopy as a trimer of the starting material.

Also, $\text{CF}_3(\text{CF}_2)_9\text{C}\equiv\text{CH}$ was heated under conditions used for the thermal polymerization of the diacetylenes, 260 °C for 40 h. The product was a sublimable solid with a molecular weight by VPO of four monomer units.

The brittleness of the polymers is attributed to the high degree of cross-linking, and would be expected to be lessened by copolymerizing a monoacetylene with the diacetylene. Mechanical properties of the palladium-catalyzed homopolymers and several copolymers were determined by the three-point bending method¹³, and are summarized in Table II. Copolymers of $\text{HC}\equiv\text{C}(\text{CF}_2)_9\text{C}\equiv\text{CH}$ were obtained with $\text{PdCl}_2(\text{PhCN})_2$ as the catalyst and $\text{CF}_3(\text{CF}_2)_9\text{C}\equiv\text{CH}$ as the monofunctional component. A sample based on 28 mole % monoacetylene was a hard resin similar to the diacetylene homopolymer, but somewhat less brittle. However, a sample prepared with 57 % of the monoacetylene was flexible and rubbery. Tensile moduli of the copolymers and the homopolymer are in agreement with these observations.

Tensile moduli for the homopolymer at temperatures to 200 °C were also determined. There is no significant discontinuity at the temperature of the DTA endotherm (118 °C).

Table II. Tensile Moduli

Mole % Monoacetylene	°C	Tensile Modulus (kg/cm^2)
0	25	920
28	25	796
57	25	63
0	100	550
0	130	480
0	200	540

REFERENCES

1. This work was supported by the Office Of Naval Research.
2. H. Jabloner and L. C. Cessna *J. Elastomers Plast.*, **6**, 103 (1974).
3. A. L. Landis, N. Bilow, R. H. Boshan, R. R. Lawrence and T. J. Aponyi, *Polym. Prepr., Am. Chem. Soc., Div. Polym. Chem.*, **15**(2), 533 (1974).
4. F. L. Hedberg and F. E. Arnold, *J. Appl. Polym. Sci.*, **24**, 763 (1979).
5. M. G. Maximovich, S. C. Lockerby, F. E. Arnold and G. A. Loughran, *Sci. Adv. Mater. Process Eng. Ser.*, **23**, 490 (1979).
6. P. M. Hergenrother, *Macromolecules*, **11**, 332 (1978).
7. K. Baum, C. D. Bedford and R. J. Hunadi, *J. Org. Chem.*, **47**, 2251 (1982).
8. DSC and TGA tests were carried out at Wright Patterson Air Force Base under the direction of Dr. F. L. Hedberg.
9. We are indebted to Drs. J. Griffith and A. Snow of the Naval Research Laboratory for the critical surface tension, moisture absorption and Freon swelling experiments. See: S. J. Shaw, B. A. Tod and J. R. Griffith, *Proc. of Polymer Science and Engineering*, **56**, 207 (1987).
10. R. S. Dickenson and D. B. W. Yawney, *Aust. J. Chem.*, **20**, 77, (1967).
11. R. Fuks and H. G. Viehe, "Chemistry of Acetylenes", H. G. Viehe, Editor, Marcel Dekker, N. Y. (1969). W. Reppe and W. J. Schweckendieck *Ann. Chem.*, **560**, 104 (1948).
12. M. Avram, E. Avram, G. D. Mateescu, I. G. Dinulescu, F. Chiraleu, and C. D. Nenitzescu, *Chem. Ber.* **1969**, **102**, 3996. M. Avram, I. G. Dinulescu, G. D. Mateescu and C. D. Nenitzescu, *Rev. Roum. Chem.*, **14**, 1191 (1969).
13. We are indebted to Dr. Roger Porter and Mr. Steven DeTeresa, University of Massachusetts, for the mechanical property tests. An Instron Universal Testing Machine was used for the three-point bending test.

ABSTRACTS DISTRIBUTION LIST, 356B

Professor A. G. MacDiarmid
Department of Chemistry
University of Pennsylvania
Philadelphia, Pennsylvania 19174

Dr. E. Fischer, Code 2853
Naval Ship Research and
Development Center
Annapolis, Maryland 21402

Professor H. Allcock
Department of Chemistry
Pennsylvania State University
University Park, Pennsylvania 16802

Professor R. Lenz
Department of Chemistry
University of Massachusetts
Amherst, Massachusetts 01002

Professor A. Epstein
Department of Physics
Ohio State University
Columbus, Ohio 43212

Dr. J. Griffith
Naval Research Laboratory
Chemistry Section, Code 6120
Washington, D.C. 20375-5000

Professor G. Wnek
Department of Materials Science
and Engineering
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. Samson Jenekhe
Honeywell Corporate Technology Center
10701 Lyndale Avenue South
Bloomington, Minnesota 55420

Professor William R. Krigbaum
Department of Chemistry
Duke University
Durham, North Carolina 27706

Ivan Caplan
DTNSRDC
Code 0125
Annapolis, MD 21401

Dr. Richard M. Laine
SRI International
333 Ravenswood Avenue
Menlo Park, California 94025

Dr. L. Buckley
Naval Air Development Center
Code 6063
Warminster, Pennsylvania 18974

Dr. James McGrath
Department of Chemistry
Virginia Polytechnic Institute
Blacksburg, Virginia 24061

Dr. Geoffrey Lindsay
Chemistry Division
Naval Weapons Center
China Lake, California 93555

Professor C. Allen
Department of Chemistry
University of Vermont
Burlington, Vermont 05401

Dr. William Tolles
Code 6100
Naval Research Laboratory
Washington, D.C. 20375-5000

Professor T. Katz
Department of Chemistry
Columbia University
New York, New York 10027

Professor J. Salamone
Department of Chemistry
University of Lowell
Lowell, Massachusetts 01854

Dr. B. Gordon III
Department of Materials Science
Pennsylvania State University
University Park, PA 16802

Dr. R. Miller
Almaden Research Center
650 Harry Road
San Jose, CA 95120-5099

ABSTRACTS DISTRIBUTION LIST, 356B

Professor T. Marks
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Kurt Baum
Fluorochem, Inc.
680 S. Ayon Avenue
Azusa, California 91702

Professor Stephen Wellinghoff
Division of Chemistry and
Chemical Engineering
Southwest Research Institute
6220 Culebra Road
Postal Drawer 283510
San Antonio, Texas 78284

Dr. William Bailey
Department of Chemistry
University of Maryland
College Park, Maryland 20742

Dr. J.C.H. Chien
Department of Polymer Science and
Engineering
University of Massachusetts
Amherst, MA 01003

Professor G. Whitesides
Department of Chemistry
Harvard University
Cambridge, Massachusetts 02138

Dr. K. Paciorek
Ultrasystems, Inc.
P.O. Box 19605
Irvine, California 92715

Dr. Ronald Archer
Department of Chemistry
University of Massachusetts
Amherst, Massachusetts 01002

Professor D. Seyferth
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Professor J. Moore
Department of Chemistry
Rensselaer Polytechnic Institute
Troy, New York 12181

Dr. V. Percec
Department of Macromolecular
Science
Case Western Reserve University
Cleveland, Ohio 44106

Dr. Gregory Girolami
Department of Chemistry
University of Illinois
Urbana-Champaign, IL 61801

Dr. Ted Walton
Chemistry Division
Code 6120
Naval Research Lab
Washington D.C. 20375-5000

Dr. Thomas J. McCarthy
Polymer Science and
Engineering Department
University of Massachusetts
Amherst, MA 01003

Professor A. Heeger
Department of Physics
University of California
Santa Barbara, California 93106

Dr. Fred Wudl
Department of Chemistry
University of California
Santa Barbara, CA 93106

END
FILMED
FEB. 1988
DTIC